

CentOS 7

APM

yum

가

가

yum

Image OS : CentOS 7.6.1810 Minimal

```
#
가
yum install -y epel-release

# Apache 2.4.52
RPMs
(codeit)

cd /etc/yum.repos.d/ && wget
https://repo.codeit.guru/codeit.el`rpm -q --qf "%{VERSION}"
$(rpm -q --whatprovides redhat-release)` .repo

# 가
yum info httpd
```

Loaded plugins: fastestmirror

Loading mirror speeds from cached hostfile

- * base: mirror.kakao.com
- * epel: hk.mirrors.thegigabit.com
- * extras: mirror.kakao.com
- * remi-safe: mirror.bebout.net
- * updates: mirror.navercorp.com

Installed Packages

```
Name       : httpd
Arch       : x86_64
Version    : 2.4.52
Release    : 1.codeit.el7
Size       : 4.3 M
Repo       : installed
From repo  : CodeIT
Summary    : Apache HTTP Server
URL        : https://httpd.apache.org/
License    : ASL 2.0
```

Description : The Apache HTTP Server is a powerful, efficient, and extensible
: web server.

```
# Apache
yum --enablerepo=CodeIT install httpd mod_ssl

# PHP 7.4          Remi Repository          .
yum                                install
https://rpms.remirepo.net/enterprise/remi-release-7.rpm

#      PHP          7.4
yum reponame all | grep -i php
yum --enablerepo=remi-php74 install php php-opcache php-gd
php-mysql php-xml

# MariaDB 10.3
cat << EOF | tee /etc/yum.repos.d/MariaDB.repo
[mariadb]
name = MariaDB
baseurl = http://yum.mariadb.org/10.3/centos7-amd64
gpgkey=https://yum.mariadb.org/RPM-GPG-KEY-MariaDB
gpgcheck=1
enabled=0
EOF

# MariaDB 10.3
yum -y install --enablerepo=mariadb MariaDB-server MariaDB-
client MariaDB-backup

# APM
[root@localhost ~]# php -v
PHP 7.4.28 (cli) (built: Feb 15 2022 13:23:10) ( NTS )
Copyright (c) The PHP Group
Zend Engine v3.4.0, Copyright (c) Zend Technologies
    with Zend OPcache v7.4.28, Copyright (c), by Zend
Technologies
[root@localhost ~]# mysql --version
mysql Ver 15.1 Distrib 10.3.34-MariaDB, for Linux (x86_64)
using readline 5.1
[root@localhost ~]# httpd -v
Server version: Apache/2.4.52 (codeit)
```

Server built: Dec 20 2021 11:29:54