

[AWS] Route53 + Workmail + SES

- 1.
2. route53 가
3. Workmail
5. Workmail Add Domain
6. Domain record 가
7. Workmail user
8. Workmail Test

[] <https://my.freenom.com/clientarea.php>

"freenom"

< >
1. 가 TLD 가 => (.tk, .ml, .ga, .gq, .cf)
2. - 1 ,
3. 2 가 가 ,
freenom
4. DNS - DNS Freenom 가
.

1. freenom 가
2. domain
 - 1) [Register a new Domain]
 - 2) TLD [Get it now!] Selected

Checkout

3) [Use DNS] - Use Freenom DNS Service IP address
==> Domain IP
4) Total Due Today : \$0.00USD -> ->
Complete Order

Route53 가

route 53 - -

1. : <freenom >
2. - (.)
- 3.

WorkMail

Workmail - Create organization

1. Create organization
2. Email domain : Existing Route 53 domain
- Route 53 hosted zone : <Freenom >
3. Alias : alias name
- Workmail url
. (https://<alias>.awsapps.com/mail)
4. Advanced settings
- User directory :
 - 1) Create Amazon Workmail directory - 가
Workmail
 - 2) Use existing directory - AWS Directory Service
Simple AD, AD, AD , workmail가
- Encryption :
 - 1) use Amazon WorkMail managed key - AWS
 - 2) Use existing customer managed key(CMK) - AWS KMS
customer managed key(CMK) key
5. Create organization

Workmail Add Domain

WorkMail-Organizations-< organization>-Domains

1. Add domain
2. Domain name - route53 domain
3.
 - Domain ownership : TXT
 - WorkMail configuration : Workmail MX, CNAME
 - Improved security : (DKIM, SPF, DMARC)
 - Improved email delivery
4. Organization - Domains [my domain] "Set as default" default [my domain]

Domain record 가

Route 53 - - < > - -



1. subdomain (main domain X)
2. Type (TXT, MX, CNAME..)
3. ** "Workmail Add Domain" 3 가 **



Workmail User

Workmail - organization - Users

User details

1. User name - user name AWS WorkMail 가
2. Display name - name

Email setup

1. Email address
 - <User name>@<workmail >
2. Password , Repeat password

- Email

Workmail Test

<Mail login>

1. WorkMail - Organizations - [my organization] url

- <https://xxx.awsapps.com/mail>

2. Workmail user (Email address x), user

< >



test email



test test <testtest@ >
받는 사람

testtest@jaesung.tk의 전자 메일이 수신되지 않는

hello, test email

< >



받는 사람(T)

test test <testtest@ >

참조(C)

제목(U) RE: test email

Test mail

