

pem

SSH Tunneling

SSH Tunneling ?

-SSH Tunneling

-Putty

SSH Tunneling
가

SSH Tunneling



Pem key -> ppk

Putty generator (putty)



Conversions -> import key
Pem



Save private key

SSH

ex) AWS

VPC

EC2

SSH

RDS(mssql)

1. SSH

IP



2. **ppk**

Connection -> SSH -> Auth -> Authentication parameters
Private Key file for authentication ppk



3. **Connection -> SSH -> Auth -> Tunnels**

Source port = ex 1433
Destination : ip:port Add

ex) AWS mysql
yds001.cq7iavl3dsuu.ap-
northeast-2.rds.amazonaws.com:1433



4. **PC cmd** **netstat**
netstat -ano | findstr " "

5. **PC**
ex) 127.0.0.1,1433



Surge

Surge

CDN **surge**
 , **surge**
 ,
 .
 / 가 ,
 .
 가 1 **30[\$]** 가
 가 .

Surge

- custom domain 가 .
- Web Cache , Client Cache-Control
가 . (ETag)
- Gzip .

Surge

- . (가 , .)
- http2

Surge

NodeJS **nvm** NodeJS
 .

curl

```
https://raw.githubusercontent.com/nvm-sh/nvm/v0.39.1/install.sh | bash
. ~/.bashrc
nvm install --lts
nvm ls
```

```
node --version
```

```
npm install --global surge
```

```
Surge
```

```
Surge      1
```

```
mkdir test && cd test/
```

```
echo hello > index.html
```

```
surge
```

```
project: /home/user/test/
```

```
## CDN
```

```
domain: noiseless-duck.surge.sh
```

```
##
```

```
## Aborted      가
```

```
## Success!      가
```

```
curl -I https://noiseless-duck.surge.sh
```

```
## HTTP/1.1 200 OK
```

```
Surge      2
```

```
surge
```

```
mkdir test && cd test/
```

```
echo "index" > index.html
```

```
mkdir ignore/
```

```
echo "ignore/index" > ignore/index.html
```

```
.surgeignore 200.html
```

```
# .surgeignore
```

```
echo "ignore/" > .surgeignore
```

```
#
```

```
## .git
```

```
## .*
```

```
## *.*~
```

```
## node_modules
```

```
## bower_components
```

```
# 200.html
```

```
## 404 가 200.html
```

```
echo "200" > 200.html
```

```
surge ./ --domain noiseless-duck.surge.sh
```

```
## ./ noiseless-duck.surge.sh
```

```
curl https://noiseless-duck.surge.sh
```

```
## index.html
```

```
curl https://noiseless-duck.surge.sh/notexist
```

```
## 404 -> 200.html
```

```
curl https://noiseless-duck.surge.sh/ignore
```

```
## .surgeignore -> 404 -> 200.html
```

```
surge list
```

```
##
```

```
surge teardown noiseless-duck.surge.sh
```

##

surge logout

##

Surge

surge

가

surge

<https://surge.sh/help/>

Outlook 2016 PST

가

Outlook PST

1. Outlook ->



2. 가 /



3. - (N)



4. Outlook (.pst) (N)



5. (N)

((S) ,
가 .)

6. .

7. .

8. .

Outlook PST

1. Outlook -> .

2. 가 / .

3. 가 - (N) .

4. Outlook (.pst) (N) .

5. (.pst) (N) .

6. 가 .

7. .



8. Outlook



Outlook

Outlook 2016