

# [AWS] Route53 + Workmail + SES

---

- 1.
2. route53 가
3. Workmail
5. Workmail Add Domain
6. Domain record 가
7. Workmail user
8. Workmail Test

[ ] <https://my.freemom.com/clientarea.php>

*"freemom"*

< >  
1. 가 TLD 가 => (.tk, .ml, .ga, .gq, .cf)  
2. - 1 ,  
3. 2 가 가 ,  
freemom  
4. DNS - DNS Freemom 가  
.

1. freemom 가
2. domain
  - 1) [Register a new Domain]
  - 2) TLD [Get it now!] Selected

Checkout

3) [Use DNS] - Use Freenom DNS Service      IP address  
 ==> Domain                      IP  
 4) Total Due Today : \$0.00USD                      ->                      ->  
 Complete Order

# Route53                      가

route 53 -                      -

1.                      : <freenom                      >
2.                      -                      (                      .)
- 3.

# WorkMail

Workmail - Create organization

1. Create organization
2. Email domain : Existing Route 53 domain
  - Route 53 hosted zone : <Freenom                      >
3. Alias : alias name
  - Workmail                      url
  - .(https://<alias>.awsapps.com/mail)
4. Advanced settings
  - User directory :
    - 1) Create Amazon Workmail directory -                      가
    - Workmail
    - 2) Use existing directory - AWS Directory Service
    - Simple AD,                      AD, AD                      , workmail가
  - Encryption :
    - 1) use Amazon WorkMail managed key - AWS
    - '                      ,
    - 2) Use existing customer managed key(CMK) - AWS KMS
    - customer managed key(CMK)                      key
5. Create organization

# Workmail Add Domain

WorkMail-Organizations-< organization>-Domains

1. Add domain
2. Domain name - route53 domain
3.
  - Domain ownership : TXT
  - WorkMail configuration : Workmail MX, CNAME
  - Improved security : (DKIM, SPF, DMARC)
  - Improved email delivery
4. Organization - Domains [my domain] "Set as default" default [my domain]

## Domain record 가

Route 53 - - < > - -

빠른 레코드 생성 정보 방법사로 전환

▼ 레코드 1 삭제

레코드 이름 **1번** 레코드 유형 **2번**

subdomain A - IPv4 주소 및 일부 AWS 리소스로 트래픽 라우팅

루트 도메인에 대한 레코드를 생성하려면 비워 둡니다.

값 정보  별칭

192.0.2.235 **3번**

별도의 줄에 여러 값을 입력합니다.

TTL(초) 정보

300

1분 1시간 1일

권장 값: 60-172,800(2일)

다른 레코드 추가

취소 레코드 생성

1. subdomain (main domain X)
2. Type (TXT, MX, CNAME..)
3. \*\* "Workmail Add Domain" 3 가 \*\*

리플릿 [redacted] 정보

영역 삭제 | 레코드 테스트 | 쿼리 로깅 구성

▶ 호스팅 영역 세부 정보 호스팅 영역 편집

레코드(12) | DNSSEC 서명 | 호스팅 영역 태그(0)

레코드 (12) 정보 레코드 삭제 | 영역 파일 가져오기 | 레코드 생성

Automatic 모드는 최상의 필터 결과에 최적화된 현재 검색 동작입니다. 모드를 변경하려면 설정(settings)으로 이동합니다.

Q 속성 또는 값을 기준으로 레코드 필터링 유형 ▼ | 라우팅 정책 ▼ | 변경 ▼

레코드 이름	유형	라우팅 ...	차별...	값/트래픽 라우팅 대상
[redacted]	MX	단순	-	10 inbound-smtp.us-east-1.amazonaws.com.
[redacted]	NS	단순	-	ns-1720.awsdns-23.co.uk. ns-420.awsdns-52.com. ns-890.awsdns-47.net. ns-1473.awsdns-56.org.
[redacted]	SOA	단순	-	ns-1720.awsdns-23.co.uk. awsdns-hostmaster.amazon.com. 1 7200 900 1209600 86400
[redacted]	TXT	단순	-	"v=spf1 include:amazonses.com -all"
._amazonses [redacted]	TXT	단순	-	"B+7wIPb7lyE5qb3/je5A/um+8xcWLS/grg12Pfd8zgw="
._dmarc [redacted]	TXT	단순	-	"v=DMARC1,p=quarantine,pct=100,fo=1"
5jsok5tip5u5tqwya3x4w5cgb5s37q3y_ [redacted]	CNAME	단순	-	5jsok5tip5u5tqwya3x4w5cgb5s37q3y.dkim.amazonses.com
pn7t6g7j23fregjfrt4hmvv7xwbp7pb_ [redacted]	CNAME	단순	-	pn7t6g7j23fregjfrt4hmvv7xwbp7pb.dkim.amazonses.com
uqwt5vz7v72xn4utpedxcqa3kneekk6_ [redacted]	CNAME	단순	-	uqwt5vz7v72xn4utpedxcqa3kneekk6.dkim.amazonses.com
autodiscover [redacted]	CNAME	단순	-	autodiscover.mail.us-east-1.awsapps.com.

# Workmail User

Workmail - organization - Users

User details

1. User name - user name AWS WorkMail 가
2. Display name - name



Email setup

1. Email address
  - <User name>@<workmail >
2. Password , Repeat password
  - Email

# Workmail Test

<Mail login>

1. WorkMail - Organizations - [my organization] url
  - https://xxx.awsapps.com/mail
2. Workmail user (Email address x), user



# test email



test test <testtest@>  
받는 사람

testtest@jaesung.tk의 전자 메일이 수신되지 않는

hello, test email

< >



보내기(S)

받는 사람(T)

test test <testtest@>

참조(C)

제목(U) RE: test email

## Test mail

New item Print View Address Book

Inbox

Search globally 1 of 1

Reply Reply All Forward

	From	Received
<input checked="" type="checkbox"/>	[Redacted]	Today, 2:50 pm

RE: test email

[Redacted]

RE: test email

To test test

Test test